

MSP Functionality Mail Service Provider (MSP) Indicator Accounts with MSP designations may receive expanded functionality · MID / CRID requests for customers - Look-up individual CRIDs or MIDs (up to 10 at a time) - Bulk look-up of CRIDs or MIDs via csv - Assign a CRID and/or a MID - Bulk assignment of CRIDs and/or MIDs via csv - Results are exportable via csv, excel, XML, PDF, and RTF Customer Validation Tool - CRID look-up Single look-up Returns company name and address - MID look-up Single look-up Returns company name and address, CRID - Permit look-up - Single look-up - Returns company name and address, CRID, Account Number - Scheduler ID look-up - Single look-up - Returns company name and address, CRID





The MSP indicator only shows up for the BSA of MMA. If someone else at that CRID has already said "yes" to the MSP question, the question will not show up at all. Once someone sets the indicator to "yes", it can only be changed by calling the help desk.





This panel will only be displayed for users who are Mail Service Providers.

MSPs who have access to the MMA service will see the exact panel shown here.

MSPs that do **not** have access to MMA will see the panel but it will not display the Customer Validation Tool button.

At this time only the BSA is able to access the Get MIDs/CRIDs feature.



| JSINESS NAME &≑ DDRESS | спу \$ | STATE/PROVINCE& CIP/POSTAL CODE | CRID \$ | MSP ≎ 🕖 | |
|--|---------------------------|---|---|------------|--|
| IT TEST 500 LOCATION 1 | ARLINGTON | VA 22203 | 20170588 | No | EDIT |
| TEST 500 LOCATION 2 0 MAIN STREET | NEW YORK | NY 10150 | 20170589 | No | EDIT |
| Clicking the "Edit" | Edit Bus | ne Profile B siness Profile | usiness l | _ocatio | n |
| home business location will direct | Person 9483080 0 Co | al Information | seast seto Teater 2260000 pottesting@gmail.com | | SELECT AI EVITY TO BARE & CHANGE . Change Contact Info - Change Password - |
| Business Profile page, where you are able to | Busine susnets co | ss Information s co mpany Moving 20 | eRest nuro 0 main street ingto + VA 2200 1 main street | | SELECT IN ENTER TO MAKE A CHARGE Company In Moving - |
| change and update your | (t) Co | npany Name Change SI CO me Business Location 22 ar | TTEST SOO LOCATION 1 ID: 20170588 TTEST SOO LOCATION 1 0 main street mignor VA 22203 ITED STATES | | Change Company Name > Change Home Location > |
| profile business | | nove Business Locations Vi I Service Provider (I/SP) N | w have no eligible locations that car p | be removed | Remove Affiliation : Mail Service Provider : |

You must be the BSA to edit any location other than the Home location

As the BSA of MMA, you will also have the option to edit MSP status for secondary locations.



You must be the BSA to edit any location other than the Home location

As the BSA of MMA, you will also have the option to edit MSP status for secondary locations.

| lit N | ИSР | Statu | s – View | All A | ffiliate | d Loc | atio | ns |
|------------------------|------------------------------|--|--|--|---|--|----------------------------------|-----------------------|
| Lo | catior | ns for which | ch you are t | he BSA (| of MMA w | vill displa | y in th | ne top tabl |
| an | d the | MSP stat | us is editab | le from "l | NO" to "Y | ES" | | |
| han | ae th | e MSP s | tatus on a | Busine | ss Locat | ion (CR | ID) | |
| | 90 | | | | | | , | |
| Review th and you v | ne informati want to unch | on below and make teck it (change MSP | changes if you need to ch designation to No), pleas | hange your MSP st ae contact the help | atus on any location desk at (800) 522-9 | s that you manage 085 and they will o | . If you see t to it for you. | hat the box is checke |
| You are the All Yes | he BSA of M | anage Mailing Activit | ties for the following locat | ions. You are auth | orized to change the | MSP designation | for these loc | cations. |
| MSP | CRID | Company | Street | | City | Stat | e Postal | Country |
| ~ | 20170588 | SIT TEST 500 LOCA | ATION 1 200 mi | ain street | arlington | VA | 22203 | UNITED STATES |
| | 20170589 | SIT TEST 500 LOCA | ATION 2 300 MA | AIN STREET | NEW YOR | C NY | 10150 | UNITED STATES |
| | | | | | | | | |
| Valu and 1 | at the BCA | of Hannan Hailing A | sticition for the following I | esslisse Vau ers ' | at authorized to sho | nan tha LICD dani | nation for the | and Inestings |
| Tou are <u>r</u> | OT THE BOA | or manage maning A | cavales for the following it | reauons, rou are <u>r</u> | AN AUTIONZED TO CHA | nge me mor desi | gnadon for di | iese localions. |
| Admin | MSP CRI | D Company | St | reet | City | Stat | e Postal | Country |
| * | 201 | 70816 ALI'S COMP | PANY 12 | 3 MAIN STREET | NEW YO | RK NY | 10022 | UNITED STATES |
| | | | | | | | | |
| | | | | | | | | |
| If you | have ad | cess to servi | ces at additional | locations bu | t are not the | BSA of MMA | , those | locations will |





Further enhancements made to the BCG also provide more support for Mail Service Providers (or M-S-Ps). An external interface, the "Crosswalk" query functionality was created, which allows MSPs (M-S-Ps) to search for and gather information pertaining to their customers. MSPs (M-S-Ps) will be able to access the query by clicking on the new "Customer Validation Tool" link that will be present on the Manage Profile page on the BCG (B-C-G); however, its important to note that the link itself will only appear on the screen when the user has enrolled for the Manage Mailing Activity business service (from the BCG business services available), have at least 1 business location designated as an MSP (M-S-P), which also must have the Manage Mail Activity (or M-M-A) access at that specific location.

| Mail Service Providers will utilize the Customer Vali | dation Tool to |
|--|---|
| look-up and validate information on Mail Owners | |
| Customer Validation Tool This tool is intended to provide Mail Service Providers with a way to validate Mail Owner information. •Select One- •Select One- •Select One- •Select One- •Select One- •Select One- •Select One- | On the main page of the Customer Validation Tool a drop-down box allows the MSP to look Mail Owner information by the following customer identifiers: CRID MID Permit ID Scheduler ID |

Mail Service Providers may begin their search on the Customer Validation Tool by selecting one of the "Search by" options on the drop-down box. Mail Owner information by the following customer identifiers: CRID, MID, Permit Information/ID, and Scheduler ID.



If the user decides to search by CRID, they simply enter the CRID # into the CRID search field, after they've selected CRID in the drop-down box. After entering the number, they must hit the "Search" button.

The system will query information from Customer Registration and provide the results. The CRID Search Results will appear at the bottom of the page, with information including the Company Name and business addresses that are associated with the CRID ID entered. Thus, the M-S-P may validate whether the CRID is attached to the appropriate business and business location.

| Customer | Validation Tool | Search by MID | 1. |
|---|---|--|----|
| | Gateway ss Customer Gateway | USPS.com Help Lopout | |
| Customer Validation Tool This tool is intended to provide Ma To begin, select a customer identif IID "Industes a required field. Enter a M2D to retrieve the associate Search Reset | I Service Providers with a way to validate Mail Owner information. In the dispedium below. Are CRDD and business address that owne the MDD. Returns company name & address, and CRID information for a MID. | Number of the second | |

User's may also search by MID. After they enter in the MID number and click the Search button, the MID Search Results appear at the bottom of the screen with the associated company information. However, unlike the CRID Search Results, the MID results not only include the Company Name and business address, but also the MID Owner CRID #.

Customer Validation Tool search by Permit Info

| Business Customer Gateway | Business Customer Gateway |
|--|---|
| Customer Validation Tool This tool is intended to provide Mal Service Providers with a way to validate Mai Owner information. Permit Information Permit Provide a Validate Mai Control (Validate Mai Owner information) Permit Provide a Validate Mai Control (Validate Mai Owner information) Permit Provide a Validate Mai Control (Validate Mai Owner information) Permit Type: Permit Permit Validate Permit Validate Mai Control (Validate Mai Owner information) Permit Type: Permit Validate Mai Control (Validate Mai Owner information) Permit Validate Permit Validate Permit Validate Mai Owner information Permit Validate Permit Validate Permit Validate Permit Validate Mai Owner information Permit Validate Perm | Contenser Validation Tool The base is not shared with the three the base with a way to white a row to white a |
| n order for MSPs to search by Permit nformation, they must input the Permit Number, Permit Type, City /here Permit is Held , as well as tate where Permit is Held . | Permit Type FI Citizati 440% Organy Name AutHona (Jan Strag), Strag (Jan Strag), Strag (Jan Strag), Strag (Jan Strag), Strag (Jan Strag), Strag), Strag, Strag), Strag, Str |

However, if the Mail Service Provider elects to search by Permit Information, there are a few more steps involved before they can hit the Search button. They not only must provide the Permit Number, but also the Permit Type, the City Where Permit is Held, as well as the State Where Permit is Held.

Once this information has been entered and the M-S-P has hit the Search button, the Permit Information Search Results will be generated at the bottom of the screen. The Search Result will include the Account Number, the Permit Number, Permit Type, CRID #, Company Name and Business Address associated with the Permit Information, allowing the M-S-P to validate that information.



The same process applies if the user elects to search by the Scheduler ID. However the Scheduler ID Search Results will also list the CRID # associated to that business location.







Here you can choose to make a request for MIDs and CRIDs or

you can look up MIDs and CRIDs

- In the subsequent pages, we'll first review all the individual options and then turn to the Bulk Request options

MID/CRID Requests

Your Latest Requests 🕑

CRID

Jul 12 12:59:27 20130712125927-54 Jul 11 12:04:05 20130711120405-36 Jul 11 12:00:06 20130711120406-35 Jul 10 07:46:53 20130710074653-22 Jul 10 07:42:35 20130710074235-21

CRID Look-up

UND LOOK-UP Jul 12 12:58:28 20130712125828-53 Jul 12 12:53:35 20130712125335-48 Jul 12 07:45:44 20130712074544-47 Jul 12 07:33:27 20130712073327-46 Jul 12 07:31:03 20130712073103-45

MID

MID Jul 12 12:57:14 20130712125714-52 Jul 12 12:54:15 20130712125415-49 Jul 11 01:21:41 20130711012141-42 Jul 10 07:48:06 20130710074806-24 Jul 10 07:47:39 20130710074739-23

MID Look-up

Jul 12 12:54:49 20130712125449-50 Jul 11 01:17:40 2013071101740-41 Jul 11 01:15:34 20130711011534-40 Jul 11 01:15:12 20130711011512-39 Jul 11 12:19:19 20130711121919-38

CRID and MID

Jul 12 12:58:17 20130712125617-51 Jul 11 12:16:13 20130711121613-37 Jul 10 07:53:02 20130710075302-26 Jul 10 07:49:56 20130710074956-25

- · We store your results for 7 days
- · We will send you a reminder message telling you when we will be deleting your files

From: USPostalService@usps.com To: Wheeler, Barbara - Washington, DC - Contractor Cc Subject: Your United States Postal Service Online Account

In the past 7 days, you have used the MID-CRID upload process. The results of your file uploads are posted on the Business Customer Gateway. We save the results for 7 days. On Tuesday, July 16, 2013 we will be deleting those result files. If you haven't done so already, plases save these reports for your records by visiting <u>https://reg.usps.com/cridMidRequests?app=EadminAPP&appURL=https://gateway.usps.com/bcg/login.htm</u>.

Sent: Fri 7/12/2013 9

The following reports will be deleted:

- Report Type: ADD COMPANY, Number of Reports: 15
 Report Type: ADD CRID MID, Number of Reports: 2
 Report Type: ADD MID, Number of Reports: 3
 Report Type: CRID LOOKUP, Number of Reports: 1
 Report Type: MID LOOKUP, Number of Reports: 2







A MID User CRID is the user of the MID rather than the owner of the MID. For example, the MID may be issued to a mail service provider or consolidator. The Mailer Owner CRID would reflect that MSP. The MSP, in turn, may have assigned the MID to be used solely by a single client customer of theirs. In that case, the MSP would enter the CRID of the client company in the MID User CRID field.





Here you can choose to make a request for MIDs and CRIDs or

you can look up MIDs and CRIDs

- In the subsequent pages, we'll first review all the individual options and then turn to the Bulk Request options

| DI LO LO C | ж-Ор | | | | | | | | | |
|---|---|--|---|--------|----------|---|-------------------------|-------|---|---|
| Request an Ir | ndividual CRID Lo | ook-Up | | You n | nav e | enter u | o to | 10 C | RIDs to | lookup |
| Provide a CRID an * indicates a required | nd the system will return t d field | the corresponding Company | Name and Address. | a time | Э | | | | | [43 |
| For example, if you Main Street Anywh that doesn't have a | u enter CRID 111535987 Iere DC 20260. We will le a MID. | f you would see a return recor et you know if you enter an invi | rd of ABC Company 123 alid CRID or a CRID | | | | | | | |
| "CRID 1 | | *CRID 6 | | | | | | | | |
| 1 | | | | | | | | | | |
| *CRID 2 | | *CRID 7 | | | | | | | | |
| | | | | | | | | | | |
| *CRID 3 | | *CRID 8 | | | • | | | | | |
| *CRID 3 | | *CRID 8 | | | ł | | | | | |
| *CRID 3 *CRID 4 | | *CRID 8 | | | • | | | | | |
| *CRID 3 *CRID 4 CRID 4 | RIDIO | -crib 8 -crib 9 | | | • | | | | | |
| *CRID 3 | RID Lo | -critic a -critic a -critic a -critic a | | | • | | | | | |
| *CRID 3 *CRID 4 *CRID 4 *CRID 1 | RID Lo | -CRD B -CRD B -CRD B -CRD B | ADDR 1 | ADDR 2 | | CITY | STATE | URBAN | POSTAL CODE | COUNTRY |
| *CRID 3 | RID Lo | -CRO B -CRO D OK-Up COMPANY GATEWAY NEWS | ADDR 1 475 LENFANT PLZ SW # 3438 | ADDR 2 | ADDR 3 C | CITY | STATE | URBAN | POSTAL CODE 20260-0004 | COUNTRY UNITED STATE |
| *CRD 3 | CRID LO 20165360 20170137 | -ско в -ско в ок-Up сомриит датемал немз АВС соправу | ADDR 1 475 LENFANT PLZ SW # 3438 475 LENFANT PLZ SW | ADDR 2 | ADDR 3 C | CITY WASHINGTON WASHINGTON | STATE DC DC | URBAN | POSTAL CODE 20260-0004 20260-0912 | COUNTRY UNITED STATE UNITED STATE |
| *CRD 3 | CRID LO 20165360 20170137 20170138 | око в ок-Up сомрит сомрит датемат немз а8с сопрану хуг сопрану | ADDR 1 475 LENFANT PLZ SW # 3438 475 LENFANT PLZ SW 900 N STUART ST | ADOR 2 | ADDR 3 C | CITY WASHINGTON WASHINGTON ARLINGTON | STATE DC DC VA | URBAN | POSTAL CODE 20260-0004 20260-0912 22203-4101 | COUNTRY UNITED STATE UNITED STATE UNITED STATE |
| -CRID 3 | CRID LO 20165360 20170137 20170138 Export optio | -ско в -ско в ок-Up сомями алемалистика АВС сопрану XYZ сопрану xYZ сопрану | ACOR 1 475 LENFANT PLZ SW # 3438 475 LENFANT PLZ SW 900 N STUART ST N ① XML ① POP ① RTF | ADDR 2 | ADDR 3 C | CITY WASHINGTON WASHINGTON ARLINGTON | STATE DC DC VA | URBAN | POSTAL CODE 20260-0004 20280-0912 22203-4101 | COUNTRY UNITED STATE UNITED STATE |

| | | DLOOI | k-Op | | | | | | | | |
|---|--|--|--|--|-------------|--------------|---|-------------------------------------|-------|---|---|
| Provide a Mailer ID and the * indicates a required field Example: If you enter Mailer and the company info would | system will return a correspo ID 9011600662 on the resp show as ABC Company 12 | nding CRID pi onse page you 3 Main Street A | us it's Company Nan will see CRID 11535 nytown DC, 20260. | • ne and Address | You look | mag tup a | y enter at a tim | up e | to 1 | 0 MIDs | s to |
| If you enter a Mailer ID that I not found" on the response | as not been issued, you will page. | see a messag | ge response of 'Maile | H ID | | | | | | | |
| 'MID 1 | | MID 6 | | | | | | | | | |
| | | | | - | | | | | | | |
| | | | | | | | | | | | |
| MID 2 | | MID 7 | | | | | | | | | |
| MID 2 | | MID 7 | | | | | | | | | |
| MID 2 | Request | an In | dividual | Mailer ID | | | | | | | |
| MID 2 MID 3 | Request | an In | dividual | Mailer ID | | | | | | | |
| MID 2 MID 3 MID 4 | Request | an In | dividual | Mailer ID | | | | | | | |
| MID 2 MID 3 MID 4 | Request | an In | dividual | Mailer ID | ADDR 2 | ADDR 3 | CITY | STATE | URBAN | POSTAL CODE | COUNTRY |
| MID 2 MID 3 MID 4 MID 5 | Request | мір 7 an In сяю 20170133 | dividual | ADOR 1 500 BRICKELL KEY DRIVE | ADDR 2 | ADDR 3 | CITY MIAMI | STATE FL | URBAN | POSTAL CODE 33131 | COUNTRY UNITED STATE: |
| MID 2 MID 3 MID 4 MID 5 | Request | MID 7 an In CRID 20170133 20170134 | COMPANY LOCAL MALER 4 LOCAL MALER 5 | ADOR 1 500 BRICKELL KEY DRIVE 500 W OLYMPIC BLVO | ADDR 2 | ADDR 3 | CITY MIAMI LOS ANGELES | STATE FL CA | URBAN | POSTAL CODE 33131 90015 | COUNTRY UNITED STATE: UNITED STATE: |
| MID 2 MID 3 MID 4 MID 5 | Request | MID 7 an In 20170133 20170134 20170137 | COMPANY LOCAL MALER 4 LOCAL MALER 5 ABC Company | ADOR 1 500 BRICKELL KEY DRIVE 500 W QLYMPIC BLVD 475 LENFANT PLZ SW | ADDR 2 | ADDR 3 | CITY MAMI LOS ANGELES WASHINGTON | STATE FL CA DC | URBAN | POSTAL CODE 33131 90015 20260-0912 | COUNTRY UNITED STATE: UNITED STATE: UNITED STATE: |
| MID 2 MID 3 MID 4 MID 5 | Request | MID 7 an In 20170133 20170134 20170137 20170137 | COMPANY LOCAL MALER 4 LOCAL MALER 5 ABC Company ABC Company | ADOR 1 500 BRICKELL KEY DRIVE 500 W QLYMPIC BLVD 475 LENFANT PLZ SW 475 LENFANT PLZ SW | ADDR 2 | ADDR 3 | CITY MIAMI LOS ANGELES WASHINGTON WASHINGTON | STATE FL CA DC DC | URBAN | POSTAL CODE 33131 90015 20260-0912 20260-0912 | COUNTRY UNITED STATE: UNITED STATE: UNITED STATE: UNITED STATE: |
| MID 2 MID 3 MID 4 MID 5 | Request | MID 7 an In 20170133 20170134 20170137 20170137 20170138 | COMPANY LOCAL MALER 4 LOCAL MALER 5 ABC Company ABC Company XYZ Company | ADDR 1 500 BRICKELL KEY DRIVE 900 W OLYMPIC BLVD 475 LENFANT PLZ SW 475 LENFANT PLZ SW 900 N STUART ST | ADDR 2 | ADDR 3 | CITY MIAMI LOS ANGELES WASHINGTON WASHINGTON ARLINGTON | STATE FL CA DC DC VA | URBAN | POSTAL CODE 33131 90015 20260-0912 20260-0912 22203-4101 | COUNTRY UNITED STATE UNITED STATE UNITED STATE UNITED STATE UNITED STATE |
| MID 2 MID 3 MID 4 MID 5 | Request | MID 7 an In 20170133 20170134 20170137 20170138 | COMPANY LOCAL MALER 4 LOCAL MALER 5 ABC Company ABC Company XVZ Company MD Not Found | ADDR 1 SOO BRICKELL KEY DRIVE SOO W OLYVIPIC BLVD 475 LENFANT PLZ SW 475 LENFANT PLZ SW 500 N STUART ST | ADDR 2 | ADDR 3 | CITY MAMI LOS ANGELES WASHINGTON ARLINGTON | STATE FL CA DC DC VA | URBAN | POSTAL CODE 33131 90015 20260-0912 20260-0912 22203-4101 | COUNTRY UNITED STATE UNITED STATE UNITED STATE UNITED STATE |





Bulk Requests: Detailed Instructions

Requests for MIDs and CRIDs Instructions

• A pipe delimited ("|") CSV file is required when uploading files for bulk requests

• Instructions are provided on how to create the necessary file type

In the constant, which is required to which a constant. The lab human baselines a give existing domain at a find or density as a fin

| CRID REQUES | ST CR | D LOOK-UP | MID R | EQUEST | MID LOOK | CRID | AND MID REQU | EST | |
|--|---|--|--|---|---|--|--|---|---|
| CRID Reques | st | | | | | | | | |
| Sequence Number | Company Name | Addr 1 | Addr 2 | Addr 3 | City | State | Urban Code | Postal Code | Country |
| digits | 50 characters maximum | 50 characters maximum | 50 characters maximum | 50 characters maximum | 50 characters maximum | 2 characters max U.S. address 5 character max f International | for 20 characters 0 maximum or | 5-9 max for US addresses 50 max for International | Must be valid USP Country |
| Number used to reconcile input to output data | Required | Required | | International addresses only | Required | Required for US addresses | Puerto Rico addresses only | Required for US addresses | Required |
| Validation: All fields will be va the output screen The USPS desire: All addresses will addresses must I Valid USPS Count The Postal Servici | didated to me so the field c s to ensure th be validated have a valid S try List <u>V</u> e has reserve | et USPS stand an be fixed and at all domestic and if they do n tate Code. A co lifd U.S. State I d 7 CRIDs for i | ards. If any fiel the record re- addresses re tot pass USPS implete list of v ist ts internal usa | d of the record f processed. flect valid mailin validation that r alid USPS cour ge. We call thes | ails validation g locations ar ecord will not thries and U.S se placeholde | , the record will not nd use the Postal S be processed. Add states are availab r CRIDs. Those CR | be processed. An of reside standard abi resses must have le: IDS are: 5155279. | error message will b breviations and our i valid Country codes 5155323, 5155336, | be provided ZIP+4 forma and U.S. 5155360, |
| Validation: All fields will be va the output screen The USPS desire: All addresses must Valid USPS Count The Postal Servic 5198487, 580769 Example of how yn | hidated to me so the field c s to ensure th be validated nave a valid S (ry List V/ e has reserve 1, and 81480 our formatted | et USPS stand an be fixed and at all domestic and if they do n tate Code. As the fit tate Code. As the fit d 7 CRIDs for i 17. | ards. If any fiel the record re- addresses re of pass USPS implete list of v ist ts internal usa Microsoft Exce | d of the record f processed. flect valid mailin validation that r alid USPS cour ge. We call thes t: | ails validation g locations ar ecord will not thries and U.S e placeholde | , the record will not nd use the Postal S be processed. Add . states are availab r CRIDs. Those CR | be processed. An o revice standard abi resses must have le: IIDs are: 5155279, | error message will b breviations and our i valid Country codes 5155323, 5155336, | be provided ZIP+4 form: and U.S. 5155360, |
| Validation: All fields will be va the output screen The USPS desire. All addresses will addresses must Valid USPS Count The Postal Servic 5198487, 580769 Example of how y | liidated to me so the field c s to ensure the be validated have a valid S (ny List Vi e has reserve 1, and 81480 our formatted kbook Views | et USPS stand an be fixed and at all domestic and if they do n late Code. A co life U.S. State I d 7 CRIDs for i 17. file will look in | ards. If any fiel the record re- addresses re of pass USPS implete list of v ist ts internal usa Microsoft Exce Show | d of the record f processed. flect valid mailin validation that r alid USPS cour ge. We call thes | ails validation g locations ar ecord will not thries and U.S se placeholder Zoom | , the record will not nd use the Postal S be processed. Ad- states are availab r CRIDs. Those CR | be processed. An of revice standard abi resses must have e. IDS are: 5155279, | error message will b breviations and our i valid Country codes 5155323, 5155336, Wind | De provided ZIP+4 form and U.S. 5155360, |
| Validation: All fields will be va the output screen The USPS desire. All addresses will addresses must I Valid USPS Count The Postal Service S198487, 580769 Example of how y Wor All | liidated to me so the field c be validated have a valid S try List Vi e has reserve 1, and 81480 our formatted kbook Views 7 | et USPS stand an be fixed and at all domestic and if they do n tate Code. A co lid U.S. State I d 7 CRIDs for i 17. file will look in | ards. If any fiel the record re- addresses re tot pass USPS implete list of vi ist ts internal usa Microsoft Exce Show | d of the record f processed, flect valid mailing validation that r alid USPS cour ge. We call thes t: | ails validation g locations ar ecord will not tries and U.S se placeholde Zoom | , the record will not duise the Postal S be processed. Add states are availab r CRIDs. Those CR | be processed. An of revice standard ab resses must have le. NDs are: 5155279, | error message will b breviations and our r alid Country codes 5155323, 5155336, Wind | be provided ZIP+4 forma and U.S. 5155360, low |

| CRID REQUES | T CRI | LOOK-UP | MID R | EQUEST | MID LOOK- | UP CRID A | ND MID REQU | EST | |
|---|----------------------------------|------------------------------------|--------------------------------|-------------------------------------|-------------------------------------|--|---------------------------------------|---|------------------------------------|
| CRID Reques | t | | | | | | | | |
| Sequence Number | Company Name | Addr 1 | Addr 2 | Addr 3 | City | State | Urban Code | Postal Code | Country |
| digits | 50 characters maximum | 50 characters maximum | 50 characters maximum | 50 characters maximum | 50 characters maximum | 2 characters max fo U.S. address 50 character max for International | r 20 characters maximum | S-9 max for US addresses 50 max for international | Must be a valid USPS Country |
| Number used to reconcile input to output data | Required | Required | | International addresses only | Required | Required for US addresses | Puerto Rico addresses only | Required for US addresses | Required |
| The CRII mandato All fields | D reques ry colum or colun | st format nns, altho nns mus | require bugh so t be rep | s 10 field me of the resented | s or colu content in the file | mns in the l in those co that you u | ayout. All umns may pload on-li | 10 columns / be blank. ne. | s are |

| elow is the text | from the instructio | ns page on the validati | ons we | |
|---|--|---|---|------|
| | of your file. | | | |
| pry to content | or your me. | | | |
| lidation: | | | | |
| fields will be validated to meet | USPS standards. If any field of the reco | d fails validation, the record will not be process | ed. An error message will be provi | ided |
| e output screen so the field can | be fixed and the record re-processed. | | | |
| e USPS desires to ensure that | all domestic addresses reflect valid ma | iling locations and use the Postal Service stand | fard abbreviations and our ZIP+4 for | orma |
| dresses must have a valid Stat | e Code. A complete list of valid USPS c | ountries and U.S. states are available: | a nave valid Country codes and O. | J. |
| lid USPS Country List Valid | U.S. State List | | | |
| - Destal Ores ins have seened i | | | | |
| e Postal Service has reserved i | 7 CRIDs for its internal usage. We call the | lese placeholder CRIDs. Those CRIDs are: 515 | 55279, 5155323, 5155336, 515536 | 60. |
| 98487, 5807691, and 8148017 | 7 CRIDs for its internal usage. We call the | iese placeholder CRIDs. Those CRIDs are: 515 | 55279, 5155323, 5155336, 515536 | 60, |
| 98487, 5807691, and 8148017 | 7 CRIDs for its internal usage. We call t | iese placeholder CRIDs. Those CRIDs are: 515 | 55279, 5155323, 5155336, 51553 | 60, |
| 98487, 5807691, and 8148017 | 7 CRIDs for its internal usage. We call the | ese placeholder CRIDs. Those CRIDs are: 515 | 55279, 5155323, 5155336, 51553 | 860, |
| xamples of the po | p-up for Country and S | tate: | 55279, 5155323, 5155336, 51553 | 360, |
| xamples of the po | PCRIDs for its internal usage. We call the second s | tate: | 56279, 5155323, 5155336, 51553 | 360, |
| Valid USPS Country List | PCRIDs for its internal usage. We call the power of the call the c | tate: | 55279, 5155323, 5155336, 515534 | 860, |
| Valid USPS Country List | 7 CRIDs for its internal usage. We call the second | tate: | 55279, 5155323, 5155336, 515534 | 860, |
| Valid USPS Country List | P-CRIDs for its internal usage. We call the second | tate: | 55279, 5155323, 5155336, 515534 | 360, |
| Valid USPS Country List | P-CRIDs for its internal usage. We call the p-up for Country and S | tate: Valid State List Alabama Alada American Samoa | 25279, 5155323, 5155336, 515534 AL AL AS | 360, |
| Valid USPS Country List | P CRIDs for its internal usage. We call the p-up for Country and S | tate: Valid State List Alabama Alaba American Samoa | AL AX AZ | 360, |
| Valid USPS Country List UNITED STATES ArGMANESTAN ALADO ISLAND ALBADA ALGERIA | 7 CRIDs for its internal usage. We call the p-up for Country and S 840 UNITED STATES 004 AFOLMONESTAN 244 ALMON ISLNO 005 ALBANA 012 ALGRIA | tate: Valid State List Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama Alabama | 55279, 5155323, 5155336, 515534 AL AX AS AZ AR | 360, |
| Valid USPS Country List UNITED STATES APGHANDISTAN ALAND ISLAND ALENNA ALGERIA ALGERIA ALGERIA ALGERIA ALGERIA | 7 CRIDs for its internal usage. We call the p-up for Country and S 840 UNITED STATES 004 AFOHANISTAN 244 ALAND ISLAND 000 ALBANA 012 ALGERIA 016 AMERICAN SAMOA | tate: Valid State List Alabama Anerican Samoa Arteona Adamas California | 55279, 5155323, 5155336, 515534 AL AX AS AZ AA CA | 360, |
| Valid USPS Country List UNTED STATES AFGHANESTAN ALARD BLAND ALGERIA ANDORA | CRIDs for its internal usage. We call the p-up for Country and S p-up for Country and S of a p-up for a p-up | tate: Valid State List Alabama | 55279, 5155323, 5155336, 515534 AL AX AS A2 AA A2 AA CA CO | |
| Valid USPS Country List UNITED STATES AFGHARISTAN ALANDISTATES AFGHARISTAN ALANDISTATE ALENDIA ALENDIA ALERICAN SAMOA ANDORA ANDOLA | 7 CRIDs for its internal usage. We call the p-up for Country and S p-up for Country and S of A POHANISTAN 248 ALAND ISLAND 000 ALBANA 012 ALGERIA 016 AABRIAA 012 ALGERIA 016 AABRIAA 020 ANDORRA 024 ANOLA | tate: Valid State List Alabama American Samoa Arizona Arizona Arizona Arizona Colorado Convertiont | 55279, 5155323, 5155336, 515533 AL AL AK AS A2 AA CA CA CT | |

Domestic addresses are required to be AMS valid addresses.

There are pop-up entries for making the entries for country and state. Please note that to designate a domestic US address, the entry in the country field must read 840 UNITED STATES.

We will not return data on placeholder CRIDs. Those are reserved for internal USPS usage.

Bulk CRID Request

Below are two views of how your files may look like once you've created a pipe delimited .csv file. If you have difficulty creating a file, please download the sample file, change your regional settings to enable pipe delimits, add your own data and save. Then you can upload the file. Example of how your formatted file will look in Microsoft Excel:

| | - | Workboo | ok Views | | | Show | | | Z | moom | ooleen olen | S (1822/22) | Wind | low |
|----|---------|-----------|----------|---------------|-------------|-----------|---|------------|----|-------------------|-------------|-------------------|------|-----|
| | | A17 | | + (° | f_{x} | | | | | | | | | |
| | A | В | | | C | D | E | F | G | н | 1 | J | К | L |
| | 1 AB0 | Company | 123 | Main Street | Anywhere | Suite 222 | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| | 2 AB0 | Company | 1234 | Main Street | Anywhere | | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| T | 3 AB0 | Company | 1232 | Main Street | Anywhere | i | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| Т | 4 AB0 | Company | 123345 | Main Street | Anywhere | Apt B | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| I | 5 ABO | Company | 1231 | 150 Calle A | | | | San Juan | PR | Urb Las Gladiolas | 00926 | 840 UNITED STATES | | |
| T | 6 AB0 | Company | 1239 | Main Street | Anywhere | E . | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| T | 7 AB | Company | 123712 | Main Street | Anywhere | | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| T | 8 AB0 | Company | 1234 | Main Street | Anywhere | | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| | 9 AB0 | Company | 1236 | Main Street | Anywhere | | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| | 10 AB0 | Company | 123521 | Main Street | Anywhere | E C | | Washington | DC | | 20260 | 840 UNITED STATES | | |
| 1p | le of h | ow your f | ormatted | file will loo | ok in NoteF | Pad: | | | | | | | | |

| ABC Company 1234/Main Street Anywhere washington DC 202600 840 UNITED STATES ABC Company 1232/Main Street Anywhere washington DC 20260 840 UNITED STATES ABC Company 123345/Main Street Anywhere Apt B washington DC 20260 840 UNITED STATES ABC Company 123150 calle A San Juan PR Urb Las Gladiolas[00926]640 UNITED STATES ABC Company 1239/Main Street Anywhere washington DC 2020B 840 UNITED STATES | |
|---|--|
| <pre>/ABC Company 1232/Main Street Anywhere Washington DC 220260 840 UNITED STATES /ABC Company 123345/Wain Street Anywhere At B Washington DC 22026 840 UNITED STATES /ABC Company 1233158 cBle A San Juan/PR Urb Las Gladiolas/80926/840 UNITED STATES /ABC Company 1239 Main Street Anywhere Uwashington DC 22026 840 UNITED STATES</pre> | |
| ABC Company 123345 Main Street Anywhere Apt B Washington DC 20208 840 UNITED STATES ABC Company 1231 150 Calle A San Juan PR Urb Las Cladiolas 80926 840 UNITED STATES ABC Company 1230 Main Street Anywhere Uwashington DC 20228 Bac UNITED STATES | |
| ABC Company 1231 150 Calle A 5an Juan PR Urb Las Gladiolas 00926 840 UNITED STATES ABC Company 1338 Main Street Anyuhere Jaskington Col 20268 ABC UNITED STATES | |
| ARC Company 1239 Main Street Anywhere Washington DC 20260 840 UNITED STATES | |
| the subold sections are addine all income from the line against a graine against | |
| ABC Company 123712 Main Street Anywhere Washington DC 20260 840 UNITED STATES | |
| ABC Company 1234 Main Street Anywhere Washington DC 20260 840 UNITED STATES | |
| ABC Company 1236 Main Street Anywhere Washington DC 28260 840 UNITED STATES | |
| ABC Company 123521 Main Street Anywhere Washington DC 20260 840 UNITED STATES | |
| | |
| | |

| | Direquee | | | | | | | | | 82.2 | |
|----------------------|-----------------------|----------------|--------|--------|----------|-------|---------------------------|-------------|-------------------|------------|--|
| | | | | | | | | | Me | ore into > | |
| 6 found, displa 1 | ying all items | | | | | | | | | | |
| CRID © | сомении с | ADDR 1 | ADOR 2 | ADDR 3 | CITY | STATE | URBAN | POSTAL CODE | COUNTRY | | |
| 20170710 | TEST LOCATION 1 | P0 80X 121 | | | NEW YORK | NY. | | 10150-0121 | UNITED STATES | 0 | |
| 20170711 | TEST LOCATION 2 | P0 50X 122 | | | NEW YORK | NY. | | 10150-0122 | UNITED STATES | 0 | |
| 20170712 | TEST LOCATION 3 | PO BOX 123 | | | NEW YORK | NY: | | 10151 | UNITED STATES | 0 | |
| 20170713 | TEST LOCATION 4 | PO 80X 124 | | | NEW YORK | 87 | | 10150-0124 | UNITED STATES | 0 | |
| 20170714 | TEST LOCATION 5 | PO BOX 125 | | | NEW YORK | NY: | | 10150-0125 | UNITED STATES | 0 | |
| Export option | K 🕢 CSV 🗶 Excel 🤅 | 2 XML 22 POP | | | | | | | | | |
| | | | | | | | Em Ei | nished 1 | anuari mara CRDA | | |
| | | | | | | | Contraction of the second | asired | equest more crobs | | |

| ere a | re 4 coll | umns II | n this | file fori | mat and | 130 | r the | TIEIC | is re | quire | e cor | ntent |
|--|---|---|--|---|--|--|----------------------------|--------------------------|----------------------------------|----------------------------|--|----------------------------|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| CRID RE | QUEST C | RID LOOK-U | P MID | REQUEST | MID LOOK | K-UP | CRID AN | ND MID | REQUES | T | | |
| MID Red | uest | | | | | | | | | | | |
| _ | | | | | _ | | | | | | | |
| Sequ | ence Number | MID Owner CRID | MID User CRID | Request | lew | | | | | | | |
| | digits | digits | digits | 'Y' or "r | x* | | | | | | | |
| Number us | ed to reconcile input | Required | Detianal | | Construction of the second | | | | | | | |
| | sutput data. | noused. | Optional | Flag to reque | stnew | | | | | | | |
| | output data. | , notes ga | Optional | Flag to reque MID or n | st new ot. | | | | | | | |
| Validation: All fields w | output data. | neet USPS stan | optional | Flag to reque MID or n | ot. | the record | t will not be | process | ed An em | ormessa | ne will be | provided o |
| Validation All fields w the output | ll be validated to n creen so the field | neet USPS stan | ndards. If any the record is | Flag to reque MID or n lield of the reco e-processed. | rd fails validation | , the record | d will not be | e process | ed. An erro | or messa | ge will be ; | provided o |
| Validation All fields w the output The Postal 5198487, | ll be validated to n creen so the field Service has reser 807691, and 814i | neet USPS stan I can be fixed an ved 7 CRIDs for 3017. | ndards. If any nd the record r r its internal u | Flag to reque MID or n lield of the reco e-processed. sage. We call th | nt new ot. rd fails validation hese placeholde | n, the record | d will not be hose CRID | e process 9s are: 51 | ed. An em 55279, 51 | or messa 55323, 51 | ge will be ; 55336, 51 | provided o |
| Validation: All fields w the output The Postal 5198487, 1 Example o | ll be validated to n icreen so the field Service has reser 807691, and 814i how your formatte | neet USPS star i can be fixed an ved 7 CRIDs for 3017. | ndards. If any nd the record i r its internal u | Flag to reque MD or n field of the reco e-processed. sage. We call th cel: | nt new ot. rd fails validation hese placeholde | n, the record | d will not be hose CRID | e process Is are: 51 | ed. An em 55279, 51 | or messa 55323, 51 | ge will be j 55336, 51 | provided o |
| Validation: All fields w the output The Postal 5198487, ! Example o | ll be validated to n creen so the field Service has reser 807691, and 8144 how your formatte Workbook View | neet USPS star ican be fixed ar ved 7 CRIDs foi 3017. Id file will look in | ndards. If any nd the record i r its internal u in Microsoft Ex | Flag to reque MID or n field of the reco re-processed. sage. We call th cel: | nt new ot. rd fails validation hese placeholder Zoom | n, the record rr CRIDs. Ti | d will not be hose CRID | e process bs are: 51 | ed. An em 55279, 51 | or messa 55323, 51 | ge will be p 55336, 51 Window | provided o 155360, |
| Validation: All fields w the output The Postal 5198487, ! Example o | Il be validated to n icreen so the field Service has reser 807691, and 814i how your formatte Workbook View A13 | neet USPS star can be fixed ar ved 7 CRIDs fo 3017. ed file will look in s | ndards. If any i nd the record i r its internal u in Microsoft Ex Sh | Flag to reque MID or n field of the reco re-processed. sage. We call th cel: | rd fails validation hese placeholde | n, the record er CRIDs. The sectory of | d will not be hose CRID | e process Is are: 51 | ed. An em 55279, 51 | or messa 55323, 51 | ge will be i 55336, 51 Window | provided o 155360, v |
| Validation: All fields w the output The Postal 5198487, S Example o | II be validated to n icreen so the field Service has reser 807691, and 814i how your formatte how your formatte Workbook View A13 B 1 angeon | neet USPS star i can be fixed ar ved 7 CRIDs fo 3017. rd file will look ii s c c c c c c c c c c c c c c c c | ndards. If any in difference of the second in the record in the internal up in Microsoft Example. Sh | Flag to reque MID or n field of the reco re-processed. isage. We call th icel: ow | rd fails validation hese placeholde Zoom | n, the record | d will not be hose CRID | e process bis are: 51 | ed. An em 55279, 51 | or messa 55323, 51 M | ge will be p 55336, 51 Window | provided o |
| Validation: All fields w the output 5198487, 5 Example o | II be validated to r creen so the field Service has reser 807691, and 8144 how your formatte Workbook View A13 1 309400 2 \$00582 | neet USPS star i can be fixed ar ved 7 CRIDs fo 3017. d file will look i s C. 5 22405 n y y | ndards. If any in difference of the internal up in Microsoft Example of the internal up in Microsoft Example of the internal up in Microsoft Example of the internal up in the internal up in the internal up inte | Flag to reque MID or n field of the reco re-processed. sage. We call th cel: | rd fails validation hese placeholde Zoom | n, the record or CRIDs. The sciences of the second | d will not be hose CRID | e process bs are: 51 | ed. An err 55279, 51 51010 | or messa 55323, 51 | ge will be p 55336, 51 Window N | provided o |
| Validation: All fields withe output The Postal 5198487, 1 Example o | II be validated to r icreen so the field Service has reser 807691, and 8144 how your formatte Workbook View A13 1 309400 2 500652 3 12345 | meet USPS star ican be fixed ar ved 7 CRIDs fo 3017. ed file will look ii s c c s 22405 n y s 212055 n y | ndards. If any i nd the record i r its internal u in Microsoft ED Sh Jr D E | Flag to reque MID or n field of the reco re-processed. sage. We call th cel: | rd fails validation hese placeholde Zoom G H | n, the record | d will not be hose CRID | e process lis are: 51 | ed. An em 55279, 51 | or messa 55323, 51 | ge will be p 555336, 51 Window | provided o |
| Validation: All fields withe output The Postal 5198487, 1 Example o | Il be validated to r creen so the field Service has reser 807691, and 8141 how your formatte Workbook View A13 B 1 309400 2 500552 3 12245 4 15240 | meet USPS star can be fixed ar ved 7 CRIDs fo 8017. c file will look in c c c c c c c c y c 23405 n c 23405 n c 23405 n c c c c c c c c c c c c c c c c c c c | optional ind the record in in Microsoft Ex- Sh Jr D E | Flag to reque MID or n field of the reco re-processed. sage. We call th cel: | rd fails validation hese placeholde Zoom G H | n, the record | d will not be hose CRID | e process bs are: 51 | ed. An erro 55279, 51 | or messa 55323, 51 | ge will be p 55336, 51 Window | provided o |
| Validation: All fields w the output The Postal 5198487, 5 Example o | ll be validated to r icreen so the field Service has reser 807691, and 8144 how your formatit move Morkbook View A13 1 204400 2 500552 3 12345 4 15240 5 21522 6 205272 | neet USPS star ican be fixed ar ved 7 CRIDs fo 8017. d file will look i 5 23405 n 2 3 5 212054 n 3 5 212054 n 3 5 212054 n 3 5 31451 y 3 5 | dards. If any nd the record in rits internal u in Microsoft Ex Sh Sh D E | Flag to reque MID or n field of the reco re-processed. sage. We call th tcel: ow | rd fails validation hese placeholde Zoom G H | n, the record rr CRIDs. Tr Sciences | d will not be hose CRID | e process bs are: 51 | ed. An em 55279, 51 | or messa 55323, 51 | ge will be j 55336, 51 Window | provided c 155360, v |
| Validation: All fields withe output The Postal 5198487. 1 Example o | III be validated to r creten so the field Service has reser 807691, and 807691, and 807691 | responded react USPS star can be fixed ar ved 7 CRIDs fo 80177. red file will look i s c | opponal ndards. If any nd the record in in Microsoft ED Sh f e D E | Flag to reque MID or n field of the reco re-processed. sage. We call th rcet: | rd fails validation hese placeholde Zoom G H | n, the record | d will not be hose CRID | e process bis are: 51 | ed. An erro 55279, 51 | or messa 55323, 51 | ge will be p 55336, 51 Window | provided o 155360, v |
| Validation: All fields withe output The Postal 5198487, 5 Example o | ulput data. III be validated to r icrceen so the field Service has reser 807691, and 8141 how your formatte how your formatte how your formatte Norkbook View A13 5 1 305400 2 50552 3 12246 5 22220 7 1041101 8 6170 | need USPS star can be fixed ar ved 7 CRIDs fo 8017. d file will look i 5 23405 n 5 23405 n 5 23405 n 5 23405 n 5 23405 n 5 23405 n 7 n n 7 n n | opeonal hdards. If any d the record i it is internal u in Microsoft ED Sh JR D E | Flig to reque MD or n field of the reco re-processed. sage. We call the ceel: DW | rd fails validation hese placeholde Zoom G H | n, the record | d will not be hose CRID | e process bis are: 51 | ed. An erro 55279, 51 | or messa 55323, 51 | ge will be j 55336, 51 Window | v |
| Validation: All fields w the output The Postal 5198487, 1 Example o 1 2 3 4 5 6 7 7 8 9 | upput data. III be validated to r creten so the field Service has reset 807691, and 807691, | meyerd meyerd meet USPS star can be fixed ar ved 7 CRDs fo 3017. d file will look i ved 7 CRDs fo 3017. d file will look i ved 7 CRDs fo 3017. c ved 7 CRDs fo 3017. ved 7 CRDs fo 3017. | optional ndards. If any i d the record i r its internal u in Microsoft ED Sh Sc 0 E | Flig to reque MD or n field of the reco re-processed. sage. We call th icel: | st new ot. rd fails validation hese placeholde Zoom G H | the record | d will not be hose CRID | e process bis are: 51 | ed. An erro 55279, 51 | or messa 55323, 51 | ge will be p 555336, 51 Window | provided o 155360, v |

Bulk MID Request – Results Screen Bulk MID Request More Info + 14 found, displaying all items 1 MID © CRID © MID OWNER COMPANY MID USER COMPANY SUNLIGHT 16428 GRANDE VISTA DR DERWOOD MD 20855-1914 UNITED STATES REZ Carton Coconut Grove 3300 SW 27TH AVE COCONUT GROVE FL 33133-5305 UNITED STATES 900004350 4433904 0 ACCENTURE 8093 FARGROUNDS PKWY SAN ANTONO TX 78238-4540 UNITED STATES MARRIOTT HOTELS SAN JUAN 1309 AVE ASHFORD SAN JUAN PR 00907 123 UNITED STATES 0 900004351 4430082 MARRIOTT HOTELS SAN JUAN 1309 AVE ASHFORD SAN JUAN PR 00907 123 UNITED STATES Usborne Corner 67 W END DR FARMONT WV 26554-3549 UNITED STATES 0 900004352 1000081 PLACEHOLDER CRD 1 475 LENFANT PLZ SW RM 2645 WASHINGTON DC 20260-0004 UNITED STATES SUNLIGHT 16428 GRANDE VISTA DR DERWOOD MD 20855-1914 UNITED STATES 0 900004353 94545338 SUNLIGHT 16428 GRANDE VISTA DR DERWOOD MD 20855-1914 UNITED STATES Rtz Carton Coconut Grove 3000 SW 27TH AVE COCONUT GROVE FL 33133-5305 UNITED STATES 900004054 4433904 SUNLIGHT 16428 GRANDE VISTA DR DERWOOD MD 20855-1914 UNITED STATES Ritz Carlton Coconut Grove 3300 SW 27TH AVE COCONUT GROVE FL 33133-5305 UNITED STATES 900004223 4433904 SUNLIGHT 16428 GRANDE VISTA DR DERWOOD MD 20855-1914 UNITED STATES Rtz Carton Coconut Grove 3300 SW 27TH AVE COCONUT GROVE FL 33133-5305 UNITED STATES 900004315 4433904 SUNLIGHT Ritz Carlton Coconut Grove

| CRID REQU | EST CR | ID LOOK-U | IP MID | REQUEST | MIDLO | OK-UP CR | ID AND MID R | EQUEST | | |
|--|---|---|--|---|---|---|---|--|--|--|
| CRID and M | IID Reques | it | | | | | | | | |
| Sequence Number | Company Name | Addr 1 | Addr 2 | Addr 3 | City | State | Urban Code | Postal Code | Country | N Us |
| digits | 50 characters maximum | 50 characters maximum | 50 characters maximum | 50 characters maximum | 50 characters maximum | 2 characters max f U.S. address 50 character max for International | or 20 characters maximum | 5-9 max for US addresses 50 max for International | Must be a valid USPS Country | di |
| Number used to reconcile input to output data | Required | Required | | International addresses only | Required | Required for US addresses | Puerto Rico addresses only | Required for US addresses | Required | Va M Ut |
| Validation: All fields will be the output scree The USPS desi All addresses w addresses mus | validated to me in so the field c res to ensure th rill be validated it have a valid S | eet USPS sta an be fixed a hat all domes and if they do state Code. A | ndards. If any nd the record tic addresses o not pass US complete list | field of the reco re-processed. reflect valid ma PS validation th of valid USPS c | rd fails valida ailing location nat record will ountries and | tion, the record will s and use the Post not be processed. U.S. states are ava | not be processe al Service standa Addresses must lable: | d. An error messa Ird abbreviations : have valid Countr | ge will be pro and our ZIP++ y codes and | CR ovided 4 form U.S. |
| Validation: All fields will be the output scree The USPS desi All addresses wu Valid USPS Cor The Postal Sen 5198487, 5807 Example of how | validated to mi n so the field c res to ensure th rill be validated thave a valid S fice has reserve 591, and 81480 ryour formatted | eet USPS sta an be fixed a hat all domess and if they di state Code. A alid U.S. Stat ed 7 CRIDs fo 017. | ndards. If any nd the record tic addresses on ot pass US complete list e_List or its internal of in Microsoft E | field of the reco re-processed. reflect valid m: PS validation th of valid USPS c usage. We call t usage. We call t | rd fails valida alling location hat record will ountries and these placeho | tion, the record will s and use the Post not be processed. U.S. states are ava Ider CRIDs. Those | not be processe al Service stands Addresses must lable: CRIDs are: 515: | d. An error messa rd abbreviations i have valid Countr 5279, 5155323, 5 | ge will be pro and our ZIP++ y codes and 155336, 5155 | CR ovideo 4 form U.S. 5360, |
| Validation: All fields will be the output scree The USPS desi All addresses wu Valid USPS Cor The Postal Sen 5198487, 5807 Example of how | validated to me n so the field c res to ensure th ill be validated thave a valid S intry List Vi ice has reserve 591, and 81480 vyour formatted orkbook Views 17 | eet USPS sta an be fixed a and if they di- state Code. A alid U.S. Stat ed 7 CRIDs fo 117. If lie will look | ndards. If any nd the record tic addresses on the pass US complete list e_List or its internal u in Microsoft E | field of the reco re-processed. reflect valid m: PS validation th of valid USPS c usage. We call t usage. We call t xcel: | rd fails valida ailing location nat record will oountries and these placeho Z | tion, the record will s and use the Post not be processed. U.S. states are availed rec RIDs. Those Jeconom with som | not be processe al Service standd Addresses must lable: CRIDs are: 515 | d. An error messa rd abbreviations have valid Countr 5279, 5155323, 5 52 | ge will be pro ind our ZIP++ y codes and 155336, 5155 Window | CR ovideo 4 form U.S. 5360, |
| Validation: All fields will be the output scree The USPS desi addresses waddresses wa valid USPS cou The Postal Sen 5198487, 5807 Example of how | validated to me en so the field c res to ensure th ilb evalidated thave a valid S intry List. W. fice has reserve 591, and 61480 ryour formatted orkbook Views 17 | eet USPS sta an be fixed a and if they d state Code. A bid U.S. Stat ed 7 CRIDs fo 117. | ndards. If any nd the record tic addresses o not pass US complete list e_List or its internal o in Microsoft E \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 | field of the reco re-processed. PS validation th of valid USPS of usage. We call t xcel: | rd fails valida ailing location nat record will oountries and these placeho 2 | tion, the record will s and use the Post not be processed. U.S. states are availed rec RIDs. Those | not be processe al Service standa Addresses must lable: CRIDs are: 515 | d. An error messa rd abbreviations i have valid Countr 5279, 5155323, 5 | ge will be priv ind our ZIP++ y codes and 155336, 5155 Window | CR ovider 4 form U.S. 5360, |
| Validation: All fields will be the output scree The USPS desi All addresses will valid USPS Con The Postal Sen 5198487,58070 Example of how A A A A A A A A A A A A A A A A A A A | validated to me en so the field c res to ensure ti if be validated it have a valid 2 bit factor in the serve 591, and 81480 ryour formatted orkbook Views 117 B ompany 123 ompany 1232 | eet USPS sta an be fixed a and iff they di and iff they di state Code. A and if C.S. Stat and if C.S. Stat and T.C.RIDs for 177. If file will look file will look file will look man Street A Main Street A Main Street A | ndards. If any nd the record tic addresses on to pass US complete list e List or its internal u in Microsoft E sp f nywhere Sub nywhere Sub nywhere | field of the reco re-processed. I reflect valid mu PS validation th of valid USPS c usage. We call t xcel: tow | rd fails valida ailing location at record will ountries and these placeho grant and the selection of Vashington DC Vashington DC | tion, the record will s and use the Post not be processed. U.S. states are available com | not be processe al Service stands Addresses must lable: CRIDs are: 515: CRIDs are: 515: 1 J 20200 640 UNITED 20200 640 UNITED 20206 040 UNITED | d. An error messa rd abbreviations : have valid Countr 5279, 5155323, 5 5279, 5155323, 5 10 5270, 5155323, 5 10 5275, 5155323, 5 10 5155323, 5 10 51555323, 5 10 51555323, 5 10 51555323, 5 10 51555323, 5 10 51555323, 5 10 51555323, 5 10 51555323, 5 10 51555323, 5 10 515555323, 5 10 5155555555555555555555555555555555 | ge will be private the private | CR ovideo 4 form U.S. 5360, M |
| Validation: All fields will be the output screet the output screet the USPS deal addresses will addresses will addresses will valid USPS Con The Postal Sen 5 fisekar, S607 2 a ABC 2 | validated to min en so the field c res to ensure the field c res to ensure that a validated intry List Min tice has reserved intry List Min tice has reserved romany to the source of the organy t234 organy t234 | et USPS sta an be fixed a nat all domes and if they di state Code. A abid U.S. Stat ed 7 CRDs for 17. ftile will look. C Main Street A Main Street A Main Street A Main Street A Main Street A Main Street A Main Street A | ndards. If any nd the record tic addresses onot pass US complete list e List in Microsoft E sp f. D nywhere Sute nywhere nywhere nywhere nywhere nywhere | field of the record re-processed. reflect valid min PSV suitadion in the PSV suitadion in the PSV suitadion in the PSV suitadion in the PSV suitave suitav suitave suitave sui | rd fails valida aliing location aliing location during a freed with a freed with these placeho z z F G Washington DC Washington DC Washington DC Washington DC Washington DC | bion, the record will s and use the Post not be processed. U.S. states are availed CRIDS. Those Section 1 H Urb Las Gladiolas | not be processe al Service stand: dardresse must lable: CRIDs are: 515/ 20280 640 UMTE 20280 640 UMTE 20280 640 UMTE 20280 640 UMTE 20280 640 UMTE 20280 640 UMTE | d. An error messa rd abbreviations : have valid Countr 5279, 5155323, 5' 5279, 5155323, 5' 5279, 5155323, 5' 5274755 574755 574755 574755 574755 574755 574755 | ge will be proving the proving our ZIP++ y codes and the proving of the proving our ZIP++ y codes and the proving our ZIP++ the prov | CR ovidec 4 form U.S. 5360, M |
| Validation: All fields will be the output screen The USPS desi and addresses mut Valid USPS cost The Postal Seres mut Valid USPS cost The Postal Seres St98487, 5807 La ABC cost A ABC cost | validated to mi en so the field c rest to ensure the will be validated intry List Vi dice has reserved forkbook Views forkbook Views 17 8 mapany 123 ompany 123 ompan | et USPS sta an be fixed a nat all domes and if they di state Code. A alid U.S. Stat di U.S. Stat di U.S. Stat di U.S. Stat di C.C. file will look - C. Man Street A Man Street A | ndards. If any nd the record tic addresses oronplete list e List or its internal u in Microsoft E sputnere nywhere sputnere anywhere nywhere nywhere | field of the recorder of the r | rd fails valida alling location at record will ountries and these placeho Vashington DC Vashington DC Vashington DC Vashington DC Vashington DC Vashington DC Vashington DC Vashington DC | tion, the record will s and use the Post not be processed. U.S. states are availed rCRIDs. Those Section M H Urb Las Gladiolas | not be processe al Service stand: dadresses must lable: CRIDs are: 515/ CRIDs | d. An error messa rd abbreviations : have valid Countr 5279, 5155323, 5' 5279, 5155323, 5' 52795, 5155323, 5' 57ATES 57ATES 57ATES 57ATES 57ATES 57ATES 57ATES | ge will be pro- nnd our ZIP++ y codes and 155336, 5155 Window | CR ovidec 4 form U.S. 5360, M |





| CRID • Users will provide a company name and address and the system will return a CRID Indridual Request , Buik Request , Mailer ID (MID) • Users will provide a CRID and the system will provide the list of Mailer IDs associated with this CRID or will provide a new Mailer ID Indridual Request , Buik Request , CRID and MID • Users will provide a Company Name and Address, and the system will provide a CRID and a MID Indridual Request , Buik Request , | CRID Look-Up • Users will provide a CRID and the system will return the corresponding <u>Company Name and Address</u> Individual Request • Bulk Request • MID Look-Up • Users will provide a Mailer ID and the system will return a corresponding CRID plus it's Company Name and Address Individual Request • Bulk Request • | |
|---|---|--|
| Users will provide a Company Name and Address, and the system will provide a CRID and a MID Individual Request > Bulk Request > | | |

| | ok up n | eques | stille | IOIIIIa | at nas | z neic | 5 01 0 | Joiumi | is as s | snow | i bei | OW. |
|--|---|--|--|--|--|--|----------------------------|------------------------------|--------------------------------|---------------------------|--------------------------------|-----------------------------|
| | | | | | | | | | | | | |
| CRID REC | QUEST | CRID LOO | OK-UP | MID RI | QUEST | MID LO | OK-UP | CRID AN | ID MID RE | QUEST | | |
| CRID Loo | ok-Up | | | | | | | | | | | |
| s | equence Numl | ber | | C | lD | | | | | | | |
| | digits | | | diç | its | | | | | | | |
| Number us | ed to reconcile in data. | nput to output | | Req | uired | | | | | | | |
| The Postal S | | | | | | | | | | | | |
| 5198487, 58 information Example of t | Service has res 307691, and 81 associated with how your forma | served 7 CR 148017. If yo h these CR atted file will | IDs for its ou enter an IDs will be Iook in Mi | internal usa ly placehold provided. crosoft Exce | ge. We call the call | nese placeho error messa | der CRIDs. ge will appe | Those CRID ear on the res | s are: 51552 ults page for | 79, 515532 that CRID a | 3, 515533 ind none o | 6, 515536 of the |
| 5198487, 58 information | Service has res 307691, and 81 associated with how your forma Workbook Vie | served 7 CR 148017. If yr h these CR atted file will | IDs for its ou enter an IDs will be Hook in Mi | internal usa ny placehold provided. crosoft Excel Show | ge. We call the call | nese placehoi error messa Zo | der CRIDs. ge will appe | Those CRID ar on the res | s are: 51552 ults page for | 79, 515532 that CRID a | 3, 515533 ind none of | 6, 515536 of the ndow |
| Example of t | Service has res 807691, and 81 associated with how your forma B Workbook Vid A15 B 1 3094005 | served 7 CR 148017. If yi h these CR atted file will ews C | IDs for its ou enter ar IDs will be I look in Mi fs D | internal usa ny placeholdi provided. crosoft Exce Show E | ge. We call the criteria control of the criteria contr | error messa Zo H | der CRIDs. ge will appe | J K | s are: 51552 ults page for | 79, 515532 that CRID a | 3, 515533 ind none o Wi | 6, 515536 of the ndow |
| 5198487, 58 information : Example of I | Service has res 807591, and 81 associated with how your forma Workbook Vie A15 8 1 3094005 2 5005620 3 123456 | served 7 CR 148017. If yi h these CR stted file will cws C | IDs for its ou enter an IDs will be I look in Mi | internal usa ny placeholdi provided. crosoft Excel Show E I | ge. We call the cRIDs, and cRIDs, | nese placeho error messa Zo H | der CRIDs. ge will appe | J K | s are: 51552' uits page for | 79, 515532 that CRID a | 3, 515533 ind none o Wi | 6, 515536 of the ndow |
| 5198487, 58 information : Example of I | Bervice has res 807691, and 81 how your forma 9000 Workbook Vie A15 8 1 3094005 2 5005620 3 123456 4 152400 5 21223 | served 7 CR 148017. If yi h these CR atted file will ews C | IDs for its ou enter an IDs will be I look in Mi | internal usa ny placeholdi provided. crosoft Excel Show E | ge. We call the critical second se | error messa Zo | der CRIDs. e will appe | Those CRID ear on the res | s are: 51552 ults page for | 79, 515532 that CRID a | 3, 515533 ind none of Wi | 6, 515536 of the ndow |
| 5198487, 58 information : Example of I 2 3 4 5 6 7 | Bervice has res 307691, and 81 associated with how your forman your Workbook Vic A15 B 1 3094005 2 5005620 3 123456 4 152400 5 21223 6 2052030 7 10411017 | served 7 CF 148017. If yi h these CR sitted file will ews C | IDs for its ou enter an IDs will be I look in Mi | internal usa ny placehold, provided. crosoft Excel Show E 1 | ge. We call the call | nese placeho error messa Zo H | der CRIDs. je will appe | J K | s are: 51552 ults page for | 79, 515532 that CRID a | 3, 515533 ind none o Wi | 6, 515536 of the ndow |



| ine | ele ale z | lielus ol | columns re | equired in | uns me | ionnal. | |
|---|---|---|--|--|--|---|---|
| | | | | | | | |
| C | RID REQUEST | CRID LOOK- | UP MID REQUES | MID LOOK- | IP CRID | AND MID REQUEST | |
| MI | ID Look-Up | | | | | | |
| | Sequence N | umber | MID | | | | |
| | digits | | digits | | | | |
| 1 | Number used to recond | turbus of turnel alig | Required | | | | |
| Val All the Tho 519 | data. fields will be validate couput screen so th e Postal Service has 98487, 5807691, an MIDs associated w | ed to meet USPS st e field can be fixed reserved 7 CRIDs d 8148017. If you et ith these CRIDs wil | andards. If any field of the and the record re-process for it's internal usage. We iter a MID that is tied to on be provided. | record fails validation, t ed. call these placeholder e these CRIDs, an erro | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 Ipear on the results page | nessage will be pro 323, 5155336, 5155 e for that MID and no |
| Val All the Thi 519 the Exa | data. Ididation: fields will be validate e output screen so th e Postal Service has 98487, 5807691, an MIDs associated wi ample of how your fo | ed to meet USPS st e field can be fixed reserved 7 CRIDs d 8148017. If you er ith these CRIDs wil rmatted file will loo | andards. If any field of the and the record re-process for it's internal usage. We ther a MID that is tied to on I be provided. t in Microsoft Excel: | record fails validation, ed. call these placeholder e these CRIDs, an erro | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 Ipear on the results page | nessage will be pro 323, 5155336, 5155 e for that MID and no |
| Vai Ali The 510 the Exa | data. alidation: fields will be validati e Postal Service has 98487, 5807691, an t MIDs associated wi ample of how your for Workboo | ed to meet USPS st e field can be fixed reserved 7 CRIDs d 8148017. If you e ith these CRIDs wil rmatted file will loo k Views | andards. If any field of the and the record ne-process for it's internal usage. We ther a MID that is tied to on be provided. cin Microsoft Excel: Show | record fails validation, t ed. call these placeholder e these CRIDs, an erro Zoom | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 pear on the results page | nessage will be pro 323, 5155336, 5155 e for that MID and no Window |
| Val All the Thi 510 the Exa | data. alidation: fields will be validati e Postal Service has 98487, 5807691, an t MIDs associated w ample of how your fo Workboo A17 | ed to meet USPS st e field can be fixed reserved 7 CRIDs d 8148017. If you et th these CRIDs will irmatted file will loo k Views | andards. It any field of the and the record re-process for its internal usage. We her a MID that is tied to on I be provided. it in Microsoft Excet: Show | record fails validation, t ed. call these placeholder e these CRIDs, an erro Zoom | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 pear on the results page | nessage will be pro 323, 5155336, 5155 e for that MID and no Window |
| Val All the Thi 511 the Exa | data. slidation: fields will be validat. to ubput screen so th e Postal Service has getars, Se07691, an MIDs associated will workboo A17 A 1 900000 1 1 900000 | ed to meet USPS st feld can be fixed reserved 7 CRIDs d 8148017. If you er th these CRIDs will loo irmatted file will loo k Views C C 822 | andards. It any field of the and the record re-process for it's internal usage. We ter a MID that is tied to on be provided. thin Microsoft Excel: Show E F | record fails validation, t ed. call these placeholder e these CRIDs, an erro Zoom | e record will not RIDs. Those CR message will ap | De processed. An error r IDs are: 5155279, 5155 pear on the results page | nessage will be pro 323, 5155336, 5155 e for that MID and no Window N O |
| Val All Th 511 515 the Exc | data lidation: fields will be validat output screen so th e Postal Service has every screen so th every screen so th ev | ed to meet USPS st e field can be fixed reserved 7 CRIDs d 8148017. If you er in threse CRIDs k Views C C C C C Se2 356 252 | andards. It any field of the and the record re-process for it's internal usage. We tere a MID that is ted to on be provided. to in Microsoft Excel: Show K E F E F | ed. call these placeholder e these CRIDs, an erro Zoom | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 ippear on the results page with the results and the results K L M | hessage will be pro 323, 5155336, 5155 e for that MID and no Window |
| Val All The 511 the Exz | data data Ilidation: fields will be validat neids will be validat output screen so ft e Postal Service has 98487, 5007691, an MIDs associated will workboo Workboo A17 2 2,900016 3 3,900017 4 4,900017 | ed to meet USPS is to expline the effect of | andards. If any field of the and the record re-process for it's internal usage. We rear AIID that is tiled to on be provided. in Microsoft Excel: Show F E F | record fails validation, 1 ed. call these placeholder e these CRIDs, an error Zoom | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 ppear on the results page K L M | message will be pro 323, 5155336, 5155 e for that MID and no Window |
| Vai Ali Thi 511 the Exa | data lidation: fields will be validab output screen so th e Postat Sercie has 98487, 5007691, an MIDs associated wi ample of how your fo Workboo A17 1 900001 2 2 900016 2 3 900017 3 90001 3 900017 3 9000000000000000000000000000000000000 | ed to meet USPS si te field can be fixed reserved 7 CRIDs d 9148017. If you et ith these CRIDs will loo k Views C C C C C C C C C C C C C C C C C C C | andards. It any field of the and the record re-process for its internal usage. We rea AIID that is tied to on be provided. t in Microsoft Excel: | Call these placeholder ed. call these placeholder e these CRIDs, an error Zoom | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 pear on the results page | Window |
| Vai All the Thi 511 the Ext | data Hidation: fedds will be validati poutput screen so file Postal Service has 98487, 5807691, an MIDa associated wi ample of how your fo Workboo A17 A19 A19 A19 A19 A19 A19 A19 A19 | ed to meet USPS si te feld can be fixed i reserved 7 CRIDs d 8148017. If you evil int these CRIDs version of the second int these CRIDs version of the second i the second version of the version of the second version of the second version of the second version of the second version of the version of the second version of the version of the | andards. It any field of the and the record re-process for its internal usage. We wher a MID that is tied to on be provided. to in Microsoft Excel: Show E F E F | call these placeholder e d. call these placeholder e these CRIDs, an error Zoom | e record will not RIDs. Those CR message will ap | De processed. An error r IDs are: 5155279, 5155 pear on the results page | message will be pro 323, 5155336, 5155 e for that MID and no Window |
| Val All Thr 511 the Exc | data data Ilidation: fields will be validata fields will be validata devalutata geda7, 5007691, an MIDa associated will ample of how your for workboo Vorkboo A17 2 900016 3 900017 5 5 900017 6 6 900016 7 7 900016 8 6 900017 | ed to meet USPS site field can be fixed reserved 7 CRIDs d 8148017. If you et ith these CRIDs will loo k Views | andards. If any field of the and the record re-process for its internal usage. We ter a MID that is tield to on be provided. in Microsoft Excel: Show F E F | call these placeholder ed. call these placeholder e these CRIDs, an error Zoom | e record will not RIDs. Those CR message will ap | be processed. An error r IDs are: 5155279, 5155 ppear on the results page K L M | message will be pro 323, 5155336, 5155 e for that MID and no Window |



